NSN 4820-01-446-3748

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-446-3748

Flow Control Device:
Disk
Disk Loading Method:
Spring
Bolt Hole Quantity:
4 all ends
Maximum Operating Temp:
450.0 degrees fahrenheit single response
End Application:
Whidbey island class Isd
Valve Operation Method:
Automatic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
0.500 inches
Adjustable Pressure Range:
+13.0/+23.0 pounds per square inch
Maximum Operating Pressure:
400.0 pounds per square inch single response
Outside Diameter:
3.500 inches all ends
Thickness:
0.440 inches all ends
First Connection Face To Centerline Distance:
3.250 inches
Bolt Hole Diameter:
0.620 inches all ends
Second Connection Face To Centerline Distance:
3.250 inches
Bolt Circle Diameter:
2.380 inches all ends
Flange Face Design:
Plain all ends
Product Name:
Valve angle relief
Material:
Steel uns j03002 body
Material Specification:
Astm a216, grade wcb assn standard single material response body

NSN 4820-01-446-3748

Safety Relief Valve - Page 2 of 2



Unit Of Measure:

__

Demilitarization:

No

Fiig:

A046b0