NSN 4820-01-446-6388

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-446-6388

Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Maximum Operating Temp:
250.0 degrees fahrenheit single response
Minimum Operating Temp:
-65.0 degrees fahrenheit
End Application:
Aircraft (ac-130a, ac-130h, mc-130h, ec-130e, hc-130)
Connection Style:
G4 gasket sea (boss) 1st end
Valve Operation Method:
Automatic
Connection Type:
Threaded internal boss 1st end
Thread Size:
0.438 inches 1st end
Opening Pressure Setting:
22.5 pounds per square inch
Material:
Aluminum alloy 2024 body
Material Specification:
Qq-a-225/6 federal specification single material response body
Media For Which Designed:
Air single response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625, type ii, class 1 military specification single treatment response
Style Designator:
Err-090
Thread Series Designator:
Unjf 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Filg:
A046b0

NSN 4820-01-446-6388

Safety Relief Valve - Page 2 of 2

Mil-std (military Standard):

Mil-a-8625 spec.

