## NSN 4820-01-451-6772

Check Valve - Page 1 of 2

Flow Control Device:

**Disk Loading Method:** 

Disk



View Online at https://aerobasegroup.com/nsn/4820-01-451-6772

Weight
Bolt Hole Quantity:
4 all ends
Maximum Operating Temp:
567.0 degrees fahrenheit 1st response
End Application:
Usns stalwart class tagos
Valve Operation Method:
Automatic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Mounting Position:
Horizontal
Valve Size:
1.500 inches
Maximum Operating Pressure:
285.0 pounds per square inch 2nd response
Outside Diameter:
5.000 inches all ends
Face To Face Distance:
6.500 inches
Thickness:
0.690 inches all ends
Bolt Hole Diameter:
0.620 inches all ends
Bolt Circle Diameter:
3.880 inches all ends
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.062 inches all ends
Raised Face Diameter:
2.880 inches all ends
Material:
Steel uns k03504 body
Material Specification:
Astm a582 assn standard single material response flow control device

## NSN 4820-01-451-6772

Check Valve - Page 2 of 2



Media	For	Which	Design	ed:
-------	-----	-------	--------	-----

Oil 2nd response

Style Designator:

Straight through flanged ends

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

No

Fiig:

A530b0