## NSN 4820-01-455-1665

Globe Valve - Page 1 of 2

Flow Control Device:

**Bonnet Type:** 

Outside screw-yoke

**Bolt Hole Quantity:** 

**Bonnet Attachment Method:** 

Disk

Bolted



View Online at https://aerobasegroup.com/nsn/4820-01-455-1665

4 all ends
Maximum Operating Temp:
775.0 degrees fahrenheit single response
End Application:
Valve, glb 2.5 cage 14959; w/s code ja nimitz class cvn
Valve Operation Method:
Manual
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Mounting Facility:
Bracket
Valve Size:
2.500 inches
Maximum Operating Pressure:
450.0 pounds per square inch single response
Outside Diameter:
7.000 inches all ends
Face To Face Distance:
8.500 inches
Thickness:
0.6875 inches all ends
Bolt Hole Diameter:
0.750 inches all ends
Bolt Circle Diameter:
5.500 inches all ends
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.0625 inches all ends
Raised Face Diameter:
4.125 inches all ends
Special Features:
Material must be asbestos free

## NSN 4820-01-455-1665

Globe Valve - Page 2 of 2



Material:
Steel flow control device
Media For Which Designed:
Steam single response
Style Designator:
Err-090
Shelf Life:
N/a
Unit Of Measure:

No

Fiig:

A046b0

Demilitarization: