## NSN 4820-01-465-3752

Calibrated Flow Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-01-465-3752

Body Material:	
Bronze	
Body Style:	
Straight thru	
Media For Which Desig	ined:
Liquid, noncorrosive	
First End Connection 1	уре:
Threaded internal pipe	
First End Style Designa	ator:
Plain	
First End Thread Size	And Series/type Designator:
-11.5 npt	
First End Thread Direc	tion:
Right-hand	
Second End Relations	nip With First End:
dentical	
Flow Control Device:	
Diaphragm	
Flow Control Device M	aterial:
Rubber, buna-n	
End Connection Quant	ity:
2	
alve Discharge Flow	Rate:
0.0 gallons per minute	
laximum Inlet Pressu	e Rating:
50.0 pounds per square	e inch
End Application:	
Naters class tags-45	
Cempurature Rating:	
Between 32.0 degrees fa	ahrenheit and 160.0 degrees fahrenheit
Special Features:	
9 pipe size 1.0 in; press	ure range 15-150 psi; flow tolerance +or- 10 pct; constant flow regardless of pressure fluctuation; designed for
iquids w/viscosity simila	r to water; suitable for most coolant solutions; flow rates quoted are for water
Shelf Life:	
N/a	
Unit Of Measure:	
 Demilitarization:	
No	
Fiig:	
A21100	