# NSN 4820-01-466-4113

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-466-4113

# Pipe Size Accommodated:

0.125 inches 1st end

# **Thread Direction:**

Right-hand 1st end

# Flow Control Device:

Poppet

# **Disk Loading Method:**

Spring

## Maximum Operating Temp:

250.0 degrees fahrenheit single response

## **End Application:**

Command control and comm system

### **Connection Style:**

G46b plain (pipe) 1st end

## Valve Operation Method:

Automatic

## **Connection Type:**

Threaded external pipe 1st end

## Features Provided:

Valve stem lock shield

# Maximum Operating Pressure:

200.0 pounds per square inch single response

# Thread Size:

0.125 inches 1st end

# **Opening Pressure Setting:**

135.0 pounds per square inch

### **Special Features:**

Manufacturers suggested name is relief valve, series 500, popoff, inline; operating temp -40 to +250 degrees feh

### Material:

Copper alloy body

### Media For Which Designed:

Gas, inert 4th response

### Style Designator:

Err-090

### **Thread Series Designator:**

Npt 1st end

# Shelf Life:

N/a

## Unit Of Measure:

---

# Demilitarization:

No

# NSN 4820-01-466-4113

Safety Relief Valve - Page 2 of 2

**Fiig:** A046b0

