Flow Control Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-01-467-3234

Pipe Size Accommodated:

0.375 inches

Flow Control Device:

Needle

End Connection Quantity:

2

End Application:

Uss stalwart class tagos

Valve Operation Method:

Manual

Connection Type:

Threaded internal pipe

Valve Size:

0.375 inches

## Maximum Operating Pressure And Media For Which Designed:

5000.0 pounds per square inch air and 5000.0 pounds per square inch hydraulic fluid, mineral base and 5000.0 pounds per square inch hydraulic fluid, petroleum base and 5000.0 pounds per square inch hydraulic fluid, phosphate-ester base and 5000.0 pounds per square inch hydraulic fluid, silicate-ester base

**Body Material:** 

Stainless steel

## Maximum Operating Tempurature And Media For Which Designed:

400.0 degrees fahrenheit air and 400.0 degrees fahrenheit hydraulic fluid, mineral base and 400.0 degrees fahrenheit hydraulic fluid, petroleum base and 400.0 degrees fahrenheit hydraulic fluid, phosphate-ester base and 400.0 degrees fahrenheit hydraulic fluid, silicate-ester base

## **Body Material Specification:**

Internet catalog no. 1482-14 mfr ref single material response

Face To Face Distance:

2.750 inches

Thread Series Designator:

Nptf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A502c0