

View Online at <https://aerobasegroup.com/nsn/4820-01-469-5447>

**Flow Control Device:**

Disk

**Bolt Hole Quantity:**

12 all ends

**End Application:**

Arleigh burke class ddg

**Valve Operation Method:**

Automatic

**Flange Shape:**

Round with holes all ends

**Connection Type:**

Flange all ends

**Mounting Position:**

Horizontal

**Outside Diameter:**

12.500 inches all ends

**Bolt Hole Diameter:**

0.880 inches all ends

**Bolt Circle Diameter:**

10.620 inches all ends

**Flange Face Design:**

Raised with curve and radius all ends

**Raised Face Height:**

0.0625 inches all ends

**Product Name:**

6 in. Bolted bonnet swing check valve

**Special Features:**

Asme class 300 lb; system application is for various service; seat diameter is 6 in. Wedge/disc seating surface trim is cf8m or ss316, seat surface trim is stellite 6; 1aw mil-v-18436e

**Material:**

Steel uns j92710 flow control device

**Material Specification:**

Astm a351 cf8c assn standard single material response flow control device

**Style Designator:**

Straight thru

**Furnished Items And Quantity:**

1 gasket

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A530b0