NSN 4820-01-470-4990

Shuttle Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-470-4990 **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Valve Discharge Flow Rate:** 8.6 gallons per minute **Maximum Operating Temp:** 150.0 degrees fahrenheit single response **Connection Style:** G4 gasket sea (boss) 1st end **Valve Operation Method:** Manual **Connection Type:** Threaded internal boss 1st end Thready Qty Per Inch (tpi): 12 1st end **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 1.312 inches 1st end **Special Features:** Valve operates oa a 100 psi change in pressure Material: Stainless steel body **Material Specification:** Qq-s-763 federal specification single material response body Media For Which Designed: Fuel/oil, hydrocarbon single response **Surface Treatment: Passivate Surface Treatment Specification:** Qq-p-35, ty ii federal specification single treatment response **Style Designator:** Err-090 **Thread Series Designator:**

Un 1st end Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

NSN 4820-01-470-4990 Shuttle Valve - Page 2 of 2



Fiig:

A046b0