## 1



<b>NSN 4820-01-472-5101</b> Safety Relief Valve - Page 1 of 1	AeroBas Gro
View Online at https://aerobasegroup.com/nsn/4820-01-472-5101	
Thread Direction:	
Right-hand all ends	
Flow Control Device:	
Piston	
Disk Loading Method:	
Spring	
Maximum Operating Temp:	
225.0 degrees fahrenheit single response	
Minimum Operating Temp:	
-40.0 degrees fahrenheit	
Connection Style:	
G46b plain (pipe) 1st end	
Valve Operation Method:	
Automatic	
Connection Type:	
Threaded external tube 2nd end	
Maximum Operating Pressure:	
300.0 pounds per square inch single response	
Thread Size:	
0.625 inches 2nd end	
Opening Pressure Setting:	
270.0 pounds per square inch	
Special Features:	
length 3.580 in.; orifice dia. 0.250 in.; weight 0.85 lb.; also suitable for 123 and 134a refrigerants and non-corre	osive industrial fluids
Material:	
Copper alloy body	

Media For Which Designed:

Refrigerant 12 1st response

Style Designator:

Err-090

Thread Series Designator:

Unf 2nd end

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A046b0