## NSN 4820-01-476-1855

Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-476-1855 **Body Material:** Copper alloy **Body Style:** Straight thru Stem Material: Nickel Media For Which Designed: Water, salt **First End Connection Type:** Plain face flange First End Style Designator: Plain First End Bolt Hole Quantity: Second End Relationship With First End: Identical **Seat Material:** Nickel **Face To Face Distance:** 11.625 inches **Flow Control Device:** Diaphragm and disk Flow Control Device Material: Rubber, buna-n and rubber, buna-n **End Connection Quantity:** 2 **Outlet Pressure Range:** +50.0/+100.0 pounds per square inch **Regulation Type:** Automatic single stage Valve Stem Design: Single seat **Valve Loading Method:** Spring **Maximum Inlet Pressure Rating:** 250.0 pounds per square inch **Product Name:** 2 1/2 inch trac style 'h' seawater pressure reducing valve

**Specification Data:** 

81349-mil-v-2042d government specification and 81346-astm-1370-92 manufacturers standard

**Specification Or Standard:** 

D type and 92 style

## NSN 4820-01-476-1855

Fluid Pressure Regulating Valve - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A21100