

View Online at <https://aerobasegroup.com/nsn/4820-01-477-7832>

**Body Material:**

Aluminum

**Maximum Operating Pressure:**

2.5 pounds per square inch

**Outside Surface Treatment:**

Anodized

**Body Style:**

Single connection, straight flow

**First End Thread Class:**

2a

**First End Thread Direction:**

Right-hand

**Opening Pressure Setting:**

1.0 pounds per square inch

**Valve Relief Design Type:**

Pressure and vacuum

**End Application:**

T406-ad-400 engine

**First End Thread Series Designator:**

Uns

**First End Thread Size:**

2.000 inches

**Criticality Code Justification:**

Agav

**Product Name:**

Breather valve

**Special Features:**

Cracking reseal valve (-10c-10c)

**Supplementary Features:**

Corrosion-resistant, tamperproof; cover provides protection from sand and dust intrusion, and from water from high-pressure decontamination hoses

**Test Data Document:**

81343-as27166 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A07100