NSN 4820-01-479-8800



Check Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4820-01-479-8800 **Thread Class:** 3b all ends **Thread Direction:** Right-hand all ends Flow Control Device: **Poppet Disk Loading Method:** Spring **Maximum Operating Temp:** 250.0 degrees fahrenheit single response **Connection Style:** Gasket seal (boss) all ends **Valve Operation Method:** Automatic **Connection Type:** Threaded internal tube all ends **Mounting Position:** Horizontal **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 0.250 inches all ends **Opening Pressure Setting:** 2.0 pounds per square inch **Outside Diameter Tube Accommodated:** 0.438 inches all ends **Special Features:** Operating pressure to 3000 psig; proof pressure 2 1/2 to 4 times operation pressure; temperature and cracking pressure range -40 to +250 degrees feh, 2-4 psig Material: Aluminum alloy 2024 body Media For Which Designed: Air single response **Style Designator:** Straight thru **Thread Series Designator:** Unjf all ends Shelf Life: N/a

No

Unit Of Measure:

Demilitarization:

NSN 4820-01-479-8800

Check Valve - Page 2 of 2



Fiig:

A530b0