## NSN 4820-01-480-0486

Calibrated Flow Valve - Page 1 of 2

**Body Material:** 



View Online at https://aerobasegroup.com/nsn/4820-01-480-0486

Copper alloy
Body Style:
Straight thru
Furnished Items:
Tailpiece w/grooves
Media For Which Designed:
Water
First End Connection Type:
Unthreaded internal pipe
First End Style Designator:
Socket
First End Pipe Size Accommodated:
1.500 inches
Second End Relationship With First End:
Not identical
Second End Connection Type:
Unthreaded internal pipe
Second End Style Designator:
Socket
Second End Pipe Size Accommodated:
1.250 inches
Face To Face Distance:
9.750 inches
Flow Control Device:
Diaphragm
Flow Control Device Material:
Rubber, buna-n
End Connection Quantity:
2
Valve Discharge Flow Rate:
45.0 gallons per minute
Renewable Seat Ring Type:
Pressed-in
Mounting Facility:
Bracket
Regulation Type:
Automatic single stage
Tempurature Rating:
160.0 degrees fahrenheit
Special Features:

This is iaw drawing 5000-85901 1385001 piping chilled water, air conditioning diagrammatic arrangement. High shock tested.

## NSN 4820-01-480-0486

Calibrated Flow Valve - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A21100