

View Online at <https://aerobasegroup.com/nsn/4820-01-481-5189>

Pipe Size Accommodated:

0.750 inches all ends

Flow Control Device:

Disk

Bonnet Type:

Inside screw

Bonnet Attachment Method:

Threaded

Renewable Seat Ring Type:

Threaded

Maximum Operating Temp:

250.0 degrees fahrenheit single response

Connection Style:

Socket with brazing ring all ends

Valve Operation Method:

Manual

Connection Type:

Unthreaded internal pipe all ends

Maximum Operating Pressure:

400.0 pounds per square inch single response

Product Name:

3/4" bronze union end globe stop valve

Special Features:

This assembly -41b (mod) is modified from dwg by silver-braze union tailpieces and union nuts, o-rings of fluorocarbon, iaw mil-r-83248 type 1 cl 1, and non-metallic disk (kel-8). These valves are for ship service air, firemain and hydraulic system. Similar to 4820-01-398-5743 which has no union tailpieces.

Material:

Plastic polychlorotrifluoroethylene flow control device

Material Specification:

Qq-n-281 federal specification single material response stem

Media For Which Designed:

Water-oil-gas single response

Style Designator:

Err-090

Furnished Items And Quantity:

2 brazing ring and 1 handwheel and 2 tailpiece and 2 nut

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0