

View Online at <https://aerobasegroup.com/nsn/4820-01-481-6082>

Pipe Size Accommodated:

0.500 millimeters

Bonnet Type:

Packing retaining

Bonnet Attachment Method:

Threaded

End Application:

Cvn 68, service usage: chilled water

Valve Operation Method:

Manual

Connection Type:

Socket, weld, pipe

Valve Size:

0.500 millimeters

Maximum Operating Pressure And Media For Which Designed:

400.0 pounds per square inch water-oil-gas

Stem Type:

Nonrising

Maximum Operating Temperature And Media For Which Designed:

150.0 degrees fahrenheit water-oil-gas

Product Name:

1/2" bronze union end gate valve

Inlet Relationship With Outlet:

Identical

Special Features:

This valve varies from naval drawing 803-1385714 (and 810-1385714) by material of o-rings is viton, supplied with socket weld, union tailpieces and union nuts, and bronze packing gland. Shock and vibration approval extended per contract. Similar to 4820-00-184-9107, which has buna-n o-rings and threaded external tube connections. Similar to 4820-00-448-4488 which is hx quality control. Similar to 4820-01-267-0826 which is special clean and hx quality control.

Material:

Nickel alloy disk

Material Specification:

Astm b61 assn standard single material response body

Furnished Items And Quantity:

1 handwheel and 2 tailpiece and 2 nut

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A500a0