## NSN 4820-01-481-6212

Check Valve - Page 1 of 1

A530b0



View Online at https://aerobasegroup.com/nsn/4820-01-481-6212

Pipe Size Accommodated:
1.500 millimeters all ends
Flow Control Device:
Disk
Maximum Operating Temp:
150.0 degrees fahrenheit single response
End Application:
Cvn 68 service usage potable water
Connection Style:
Socket with brazing ring (pipe) all ends
Valve Operation Method:
Automatic
Connection Type:
Unthreaded internal pipe all ends
Mounting Position:
Horizontal
Maximum Operating Pressure:
400.0 pounds per square inch single response
Product Name:
1.5" brnz union end swing check valve
Special Features:
This valve varies from naval drawing 803-1385721 by o-rings of viton fluorocarbon iaw mil-r-83248, type 1, cl 1; by silver braze union end
and ni-cu side plug. Similar to 4820-01-347-9983 which has end connections and o-rings per drawing 803-1385721. Similar to
4820-01-276-5714 which is special clean, hx quality control and testing specs.
Material:
Nickel alloy flow control device
Material Specification:
Astm b61 assn standard single material response body
Media For Which Designed:
Water-oil-gas single response
Style Designator:
Straight thru
Furnished Items And Quantity:
2 brazing ring
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: