NSN 4820-01-492-6388

Lift-check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-492-6388

Pipe Size Accommodated:
6.000 inches all ends
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Threaded
Valve Operation Method:
Automatic
Flange Shape:
Round all ends
Connection Type:
Flange all ends
Mounting Facility:
Bracket
Mounting Position:
Horizontal
Valve Size:
6.000 inches
Maximum Operating Pressure:
150.0 pounds per square inch single response
Outside Diameter:
11.000 inches all ends
Face To Face Distance:
15.000 inches
Thickness:
0.8125 inches all ends
Flange Face Design:
Plain all ends
Product Name:
6 inch scupper valve, 180 degree
Special Features:
Flange: undrilled comm 1 flat faced, model no.1018-type-gag at 45 degree.
Material:
Copper alloy body
Media For Which Designed:
Waste product single response
Style Designator:
Straight through flanged ends
Supplementary Features:
Flow control device: diaphragm
Shalf Life:

N/a

NSN 4820-01-492-6388

Lift-check Valve - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A530b0