

View Online at <https://aerobasegroup.com/nsn/4820-01-494-1371>

Thread Direction:

Right-hand all ends

Flow Control Device:

Disk

Bonnet Type:

Inside screw

Bonnet Attachment Method:

Threaded

Renewable Seat Ring Type:

Threaded

Maximum Operating Temp:

225.0 degrees fahrenheit single response

Minimum Operating Temp:

-20.0 degrees fahrenheit

End Application:

Nimitz class cvn (73)

Connection Style:

Err-090 all ends

Valve Operation Method:

Manual

Connection Type:

Threaded external hose all ends

Mounting Facility:

Panel

Features Provided:

Bonnet packing

Thready Qty Per Inch (tpi):

12 all ends

Maximum Operating Pressure:

6000.0 pounds per square inch single response

Thread Size:

1.1875 inches all ends

Product Name:

Panel mounted angle valve

Special Features:

For pipe size 1/4 in. Tube size 3/8 in; replacement cartridge catalog number 365-1-p.

Material:

Copper alloy 958 body

Material Specification:

Mil-b-24480 military specification single material response body or mil-b-24059 military specification single material response body

Media For Which Designed:

Water-oil-gas single response

Style Designator:

Err-090

Thread Series Designator:

Un all ends

Furnished Items And Quantity:

1 handle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0

Mil-std (military Standard):

Mil-b-24480 spec.