

View Online at <https://aerobasegroup.com/nsn/4820-01-494-1371>

**Thread Direction:**

Right-hand all ends

**Flow Control Device:**

Disk

**Bonnet Type:**

Inside screw

**Bonnet Attachment Method:**

Threaded

**Renewable Seat Ring Type:**

Threaded

**Maximum Operating Temp:**

225.0 degrees fahrenheit single response

**Minimum Operating Temp:**

-20.0 degrees fahrenheit

**End Application:**

Nimitz class cvn (73)

**Connection Style:**

Err-090 all ends

**Valve Operation Method:**

Manual

**Connection Type:**

Threaded external hose all ends

**Mounting Facility:**

Panel

**Features Provided:**

Bonnet packing

**Thready Qty Per Inch (tpi):**

12 all ends

**Maximum Operating Pressure:**

6000.0 pounds per square inch single response

**Thread Size:**

1.1875 inches all ends

**Product Name:**

Panel mounted angle valve

**Special Features:**

For pipe size 1/4 in. Tube size 3/8 in; replacement cartridge catalog number 365-1-p.

**Material:**

Copper alloy 958 body

**Material Specification:**

Mil-b-24480 military specification single material response body or mil-b-24059 military specification single material response body

**Media For Which Designed:**

Water-oil-gas single response

**Style Designator:**

Err-090

**Thread Series Designator:**

Un all ends

**Furnished Items And Quantity:**

1 handle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A046b0

**Mil-std (military Standard):**

Mil-b-24480 spec.