

View Online at <https://aerobasegroup.com/nsn/4820-01-500-8747>

Flow Control Device:

Disk

Bonnet Type:

Packing retaining

Bonnet Attachment Method:

Threaded

Maximum Operating Temp:

225.0 degrees fahrenheit single response

Minimum Operating Temp:

-20.0 degrees fahrenheit

End Application:

W/s seawolf class ssn

Connection Style:

Streamlined with one brazing ring (tube) 1st end

Valve Operation Method:

Manual

Connection Type:

Unthreaded internal tube 1st end

Mounting Facility:

Bracket

Features Provided:

Bonnet packing

Valve Size:

0.250 inches

Maximum Operating Pressure:

6000.0 pounds per square inch single response

Face To Face Distance:

3.750 inches

Outside Diameter Tube Accommodated:

0.250 inches 2nd end

Special Features:

This is not a level 1 ss valve. Meets all shock, vibration, hydrostatic and seat tightness testing.

Material:

Steel comp 316l body

Material Specification:

Qq-s-763 federal specification single material response body

Style Designator:

Err-090

Furnished Items And Quantity:

1 ferrule and 1 handwheel and 1 nut

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A046b0