

View Online at <https://aerobasegroup.com/nsn/4820-01-503-5719>

Body Material:

Copper alloy

Body Style:

Straight thru

Furnished Items:

Union nut and tailpiece w/grooves and preinserted brazing ring

Media For Which Designed:

Water

First End Connection Type:

Unthreaded internal pipe

First End Style Designator:

Socket w/brazing ring

First End Pipe Size Accommodated:

1.500 inches

Second End Relationship With First End:

Not identical

Second End Connection Type:

Unthreaded internal pipe

Second End Style Designator:

Socket w/brazing ring

Second End Pipe Size Accommodated:

1.250 inches

Flow Control Device:

Diaphragm

Flow Control Device Material:

Rubber, buna-n

End Connection Quantity:

2

Valve Discharge Flow Rate:

36.0 gallons per minute

Maximum Inlet Pressure Rating:

150.0 pounds per square inch

Temperature Rating:

160.0 degrees fahrenheit

Product Name:

Assem. 1-1/2x1-1/4 multi-mesurflo control automatic balancing valve w/union ends for silver brazing, including brazing rings.

Special Features:

Meets hi-shock requirements iaw mil-s-901c dated 15 jan. 1963; type 1 vibration qualification approved, subships pascagoula ms, letter cg47/9073, ser: 261d/095, dated 14 april 1988; shock tested design w/"o" ring and spacer.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A21100