

View Online at <https://aerobasegroup.com/nsn/4820-01-506-0048>

Pipe Size Accommodated:

0.500 inches all ends

Flow Control Device:

Disk

Bonnet Type:

Inside screw

Bonnet Attachment Method:

Threaded

Renewable Seat Ring Type:

Threaded

Maximum Operating Temp:

400.0 degrees fahrenheit 1st response

End Application:

Valve, angle

Connection Style:

Socket with brazing ring err-100

Valve Operation Method:

Manual

Connection Type:

Unthreaded internal pipe all ends

Maximum Operating Pressure:

400.0 pounds per square inch 3rd response

Product Name:

Angle valve (stop)

Special Features:

Kvalve is designed for use with mil-f-1183 or mil-f-242227 type union end connections both silver brazed and welded. Union nuts. Tailpieces and retaining rings shall be accordance with navsea drawing 803-7063850

Material:

Copper alloy body

Material Specification:

Astmb61 assn standard single material response body

Media For Which Designed:

Air 3rd response

Style Designator:

Err-090

Furnished Items And Quantity:

2 brazing ring and 1 handwheel and 1 nut and 2 tailpiece

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0