NSN 4820-01-516-4793

Ball Valve - Page 1 of 1



٧

| View Online at https://aerobasegroup.com/nsn/4820-01-516-4793 |
|---|
| Maximum Operating Temp: |
| 400.0 degrees fahrenheit single response |
| End Application: |
| Ablts |
| Connection Style: |
| G9 plain, optional en (pipe) all ends |
| Valve Operation Method: |
| Manual |
| Flange Shape: |
| Hexagon all ends |
| Connection Type: |
| Threaded internal pipe all ends |
| Valve Size: |
| 1.500 inches |
| Maximum Operating Pressure: |
| 150.0 pounds per square inch single response |
| Thread Size: |
| 1.500 inches all ends |
| Face To Face Distance: |
| 4.860 inches |
| Flange Face Design: |
| Plain all ends |
| Product Name: |
| Stainless steel swing-out ball valves series 504ss |
| Special Features: |
| Female-female pipe ends; blow-out proof stem; cleaning or maintenance is performed by removing one bolt, loosening the other 3 holts |
| and swinging out the center section; seats and seals can be replaced without disturbing pipe alignment; material requirements meet nace |
| mr-01-75 |
| Material: |
| Stainless steel body |
| Media For Which Designed: |
| Steam single response |
| Style Designator: |
| Err-090 |
| Thread Series Designator: |
| Npt all ends |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |

A046b0