

View Online at <https://aerobasegroup.com/nsn/4820-01-524-2697>

**Maximum Operating Temp:**

158.0 degrees fahrenheit single response

**Minimum Operating Temp:**

40.0 degrees fahrenheit

**Connection Style:**

Socket (tube) all ends

**Valve Operation Method:**

Manual

**Connection Type:**

Unthreaded internal tube all ends

**Maximum Operating Pressure:**

1500.0 pounds per square inch single response

**Outside Diameter Tube Accommodated:**

1.000 inches all ends

**Product Name:**

Ball valve top load, cres body, ajr/fw service

**Special Features:**

Top load cres ball valve, socket weld, locking handle

**Material:**

Stainless steel flow control device

**Material Specification:**

Astm a351 cf3m assn standard single material response flow control device

**Media For Which Designed:**

Air 1st response

**Style Designator:**

Err-090

**Furnished Items And Quantity:**

1 handle and 1 locking device

**Specification Data:**

53711 - 801-6408780 rev e government specification

**Departure From Cited Document:**

Modified by use of handle pc 55 in lieu of pc 44, and with locking device (pc 57, q type 2, pcs 58, 59, 60, q type 1 ea)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A046b0