NSN 4820-01-538-1851

Butterfly Valve - Page 1 of 2



view Online at https://aerobasegroup.com/hsn/4620-01-536-1651
Pipe Size Accommodated:
8.000 inches all ends
End Application:
W/s cvn nr boundary area
Connection Style:
Plain (tube) all ends
Valve Operation Method:
Manual
Connection Type:
Unthreaded internal pipe all ends
Mounting Facility:
Wafer
Features Provided:
Pressure tight outlet side
Maximum Operating Pressure:
150.0 pounds per square inch single response
Butterfly Valve Size:
8.000 inches
Product Name:
Wcn wafer valve and operator, with monel screws
Special Features:
Operator with worm gear; 12 turns of handwheel to fully open/close valve
Material:
Steel body
Material Specification:
Astm a216 assn standard single material response body
Style Designator:
Err-090
Test Data Document:
Mil-s-901 for light weight, grade a0.Mil-s-901 for light weight, grade a0cl i fixture 4a specification (includes engineering type bulletins,
brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar
trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown
as "typical", "average", "", etc.).
Furnished Items And Quantity:
1 handwheel
Specification Data:
81349 - mil-v-22133 government specification
Departure From Cited Document:
Monel screws
Shelf Life:
N/a
Unit Of Measure:

Voc domil/mli

Demilitarization:

NSN 4820-01-538-1851

Butterfly Valve - Page 2 of 2



Fiig:

A046b0

Mil-std (military Standard):

Mil-s-901 spec.