

View Online at <https://aerobasegroup.com/nsn/4820-01-539-3979>

Flow Control Device:

Disk

Bonnet Type:

Inside spring

Bonnet Attachment Method:

Bolted

Disk Loading Method:

Spring

Bolt Hole Quantity:

4 all ends

End Application:

New construction lcs1

Valve Operation Method:

Automatic or manual

Flange Shape:

Round with holes all ends

Connection Type:

Flange all ends

Valve Size:

0.750 inches

Adjustable Pressure Range:

+36.0/+42.0 pounds per square inch

Outside Diameter:

3.875 inches all ends

Thickness:

0.500 inches all ends

First Connection Face To Centerline Distance:

3.000 inches

Bolt Hole Diameter:

0.625 inches all ends

Second Connection Face To Centerline Distance:

3.000 inches

Bolt Circle Diameter:

2.750 inches all ends

Flange Face Design:

Raised straight all ends

Raised Face Height:

0.062 inches all ends

Raised Face Diameter:

1.687 inches all ends

Material:

Steel comp 316 stem

Media For Which Designed:

Oil single response

Style Designator:

Err-090

Furnished Items And Quantity:

1 lever

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0