

View Online at <https://aerobasegroup.com/nsn/4820-01-544-1839>

**Pipe Size Accommodated:**

1.250 inches all ends

**Flow Control Device:**

Disk

**Bonnet Type:**

Inside screw

**Bonnet Attachment Method:**

Threaded

**Maximum Operating Temp:**

150.0 degrees fahrenheit single response

**End Application:**

New construction lcs1

**Connection Style:**

Streamlined with one brazing ring (tube) all ends

**Valve Operation Method:**

Automatic or manual

**Connection Type:**

Unthreaded internal pipe all ends

**Mounting Position:**

Horizontal or vertical

**Maximum Operating Pressure:**

400.0 pounds per square inch single response

**Special Features:**

Bonnet o-ring of nitrile; application: jp5; shock and vibration requirements; end connections iaw navsea drawing 803-7063850

**Material:**

Nickel alloy stem

**Material Specification:**

Astm b164 assn standard single material response flow control device or qq-n-281 federal specification single material response flow control device

**Media For Which Designed:**

Water-oil-gas single response

**Style Designator:**

Straight thru

**Furnished Items And Quantity:**

1 handwheel and 2 tailpiece and 2 nut

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A530b0