NSN 4820-01-549-2305

Globe Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-549-2305

view Offilite at https://aerobasegroup.com/hist//4020-01-040-2000
Flow Control Device:
Disk
Bonnet Type:
Packing retaining
Bolt Hole Quantity:
8 all ends
Valve Operation Method:
Manual
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Features Provided:
Bonnet packing
Valve Size:
1.500 inches
Maximum Operating Pressure:
900.0 pounds per square inch single response
Outside Diameter:
7.000 inches all ends
Face To Face Distance:
12.000 inches
Thickness:
1.250 inches all ends
Bolt Hole Diameter:
1.125 inches all ends
Bolt Circle Diameter:
4.875 inches all ends
Flange Face Design:
Raised straight all ends
Product Name:
Stop valve
Special Features:
Valve iaw asme class 900; flanges iaw with asme class 1500; 803-2177525-m715 modified to incorporate monel asme class 1500 flanges
with face-to-face dimensions that meet dod-v-24675 to provide a replacement for dod-v-24675 that does not require piping modifications
Material:
Copper alloy flow control device
Media For Which Designed:
Water-oil-gas single response
Style Designator:
Err-090
Furnished Items And Quantity:

1 handwheel

NSN 4820-01-549-2305

Globe Valve - Page 2 of 2



	Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0