NSN 4820-01-551-2166

A506h0

Directional Control Linear Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-01-551-2166 **Thread Class:** 2b **Valve Discharge Flow Rate:** 24.0 gallons per minute **End Application:** ASSA-UL-TAM-PHIB **Valve Operation Method:** Hydraulic **Connection Type:** Threaded internal boss **Features Provided:** Side ported Thready Qty Per Inch (tpi): **Maximum Operating Pressure And Media For Which Designed:** 2500.0 pounds per square inch oil **Thread Size:** 1.062 inches **Body Material:** Iron cast Maximum Operating Tempurature And Media For Which Designed: 225.0 degrees fahrenheit oil **Product Name:** Valve, linear, directional control **Special Features:** Fluid medium is oil, grade 10, specification mil-l-2104 or hydraulic fluid, specification mil-h-5606; ambient temp range is minus 65 degrees fahr to 125 degrees fahr; operational temp range is minus 65 degrees fahr to 225 degrees fahr; model nbr s-12; tube size is 0.750 **Thread Series Designator:** Un **Furnished Items And Quantity:** 1 knob and 1 mounting bracket Shelf Life: N/a **Unit Of Measure:** Demilitarization: No Fiig: