NSN 4820-01-554-1371

Globe Valve - Page 1 of 2

Flow Control Device:



View Online at https://aerobasegroup.com/nsn/4820-01-554-1371

Disk		
Bonnet Type:		
Outside screw-yoke		
Bonnet Attachment Method:		
Bolted		
Bolt Hole Quantity:		
4 all ends		
Maximum Operating Temp:		
600.0 degrees fahrenheit single response		
Valve Operation Method:		
Manual		
Flange Shape:		
Round with holes all ends		
Connection Type:		
Flange all ends		
Valve Size:		
1.000 inches		
Maximum Operating Pressure:		
900.0 pounds per square inch single response		
Outside Diameter:		
4.250 inches all ends		
Face To Face Distance:		
8.500 inches		
Thickness:		
0.688 inches all ends		
Bolt Hole Diameter:		
0.750 inches all ends		
Bolt Circle Diameter:		
3.500 inches all ends		
Flange Face Design:		
Raised straight all ends		
Raised Face Height:		
0.250 inches all ends		
Raised Face Diameter:		
2.000 inches all ends		
Product Name:		
In-line stop check		
Special Features:		
Valve is completely asbestos free		
Material:		

Nickel alloy body

NSN 4820-01-554-1371

Globe Valve - Page 2 of 2



01-1-	D = =! = 1 =	
Stvie	Designator:	

Err-090

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A046b0