

View Online at <https://aerobasegroup.com/nsn/4820-01-556-8005>

Pipe Size Accommodated:

0.750 inches all ends

Flow Control Device:

Disk

Disk Loading Method:

Spring

Valve Discharge Flow Rate:

172.8 cubic feet per minute

Renewable Seat Ring Type:

Retaining screw

Maximum Operating Temp:

425.0 degrees fahrenheit single response

End Application:

Overhaul/availability cvn70

Connection Style:

Socket all ends

Valve Operation Method:

Automatic or manual

Connection Type:

Unthreaded internal pipe all ends

Adjustable Pressure Range:

+23.0 to 45.0 pounds per square inch

Maximum Operating Pressure:

400.0 pounds per square inch single response

Special Features:

Valve provided with gagging device, bonnet plug, adjusting ring pin; disc insert material polytetrafluoroethylene; o-ring material viton

Material:

Stainless steel

Media For Which Designed:

Air single response

Style Designator:

C1 angle

Furnished Items And Quantity:

1 lever and 2 tailpiece and 2 nut

Specification Data:

Mil-v-22549d government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0

Mil-std (military Standard):

Mil-v-22549 spec.