

View Online at <https://aerobasegroup.com/nsn/4820-01-561-8092>

Body Material:

Bronze, astm b61

Body Style:

Straight thru

Stem Material:

Nickel-copper alloy, qq-n-281, class b

Furnished Items:

Tailpiece and union nut

Media For Which Designed:

Air

First End Connection Type:

Unthreaded internal pipe

First End Style Designator:

Streamlined with one brazing ring

First End Pipe Size Accommodated:

0.500 inches

Second End Relationship With First End:

Identical

Seat Material:

Nickel copper alloy

Face To Face Distance:

9.200 inches

Flow Control Device:

Disk, guided

Flow Control Device Material:

Rubber, buna-n

End Connection Quantity:

2

Outlet Pressure Range:

+5.0/+60.0 pounds per square inch

Regulation Type:

Automatic single stage

Valve Loading Method:

Spring

Maximum Inlet Pressure Rating:

150.0 pounds per square inch

Filter:

Not included

Valve Size:

0.500 inches

Product Name:

Pressure reducing valve

Special Features:

Mil-s-901c light wt gr a, cl 1, fixture 4a by extension; drawing states o-rings and retaining rings provided only when specified on order, seating removal tool provided only when specified on order; specify set pressure of 5-25psi when ordering

Specification Data:

Mil-v-24384 government specification

Specification Or Standard:

I type and a class and b design

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A21100

Mil-std (military Standard):

Mil-s-901 spec.