

View Online at <https://aerobasegroup.com/nsn/4820-01-576-2428>

**Body Material:**

Bronze, astm b61

**First End Flange Outside Diameter:**

2.875 inches

**Body Style:**

Straight thru

**Media For Which Designed:**

Water, salt

**First End Connection Type:**

Plain face flange

**First End Style Designator:**

Plain

**First End Flange Shape Style:**

Round w/ bolt holes

**First End Flange Thickness:**

0.938 inches

**First End Bolt Hole Quantity:**

6

**First End Bolt Hole Diameter:**

0.688 inches

**Face To Face Distance:**

11.750 inches

**Flow Control Device:**

Disk

**Flow Control Device Material:**

Rubber, buna-n

**End Connection Quantity:**

2

**Outlet Pressure Range:**

+100.0/+150.0 pounds per square inch

**Regulation Type:**

Automatic single stage

**Valve Stem Design:**

Single seat

**Valve Loading Method:**

Spring

**Filter:**

Not included

**End Application:**

Lsd44 midlife s/a 3290.4k

**Tempurature Rating:**

165.0 degrees fahrenheit

**End Connection Specification/std:**

Mil-f-20042

**Valve Size:**

2.500 inches

**Product Name:**

Sea water pressure reducing valve

**Specification Data:**

81346-astm f1370 professional/industrial association specification

**Specification Or Standard:**

1 type and j size and f end and 2 rating and x range

**Departure From Cited Designator:**

250.0

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A21100

**Mil-std (military Standard):**

Mil-f-20042 spec.