NSN 4820-01-584-7899

Stop-check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-584-7899

Pipe Size Accommodated:
0.500 inches all ends
Flow Control Device:
Disk
Bonnet Type:
Packing retaining
Disk Loading Method:
Weight
Maximum Operating Temp:
250.0 degrees fahrenheit single response
End Application:
New construction cvn78
Connection Style:
Socket (pipe) all ends
Valve Operation Method:
Automatic or manual
Connection Type:
Unthreaded internal pipe all ends
Maximum Operating Pressure:
400.0 pounds per square inch single response
Product Name:
Valve, globe stop check
Special Features:
Shock qualified
Material:
Nickel alloy flow control device
Media For Which Designed:
Water-oil-gas single response
Style Designator:
Straight thru
Furnished Items And Quantity:
1 handwheel
Specification Data:
80064-803-4384536 government specification
Specification Or Standard:
3 size and 2 type and b class
Departure From Cited Document:
As differentiated by bonnet o-ring of fluorocarbon iaw ams-r-83248 ty i cl 1 and handwheel nut is low-lead brass
Shelf Life:
N/a
Unit Of Measure:

--

NSN 4820-01-584-7899

Stop-check Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A530b0