## NSN 4820-01-601-4124

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-601-4124

Thread Olever
Thread Class:
2 all ends
Thread Direction:
Right-hand all ends
Flow Control Device:
Disk
Disk Loading Method:
Spring
Connection Style:
Plain, optional end (pipe) all ends
Valve Operation Method:
Automatic
Connection Type:
Threaded internal pipe all ends
Mounting Position:
Horizontal or vertical
Thready Qty Per Inch (tpi):
11.5 all ends
Maximum Operating Pressure:
250.0 pounds per square inch single response
Thread Size:
1.50 inches all ends
Opening Pressure Setting:
0.5 pounds per square inch
Special Features:
Valve is iaw mss sp-80 and ansi 61-g
Material:
Plastic polytetrafluoroethylene flow control device
Material Specification:
Astm b 584 alloy c87850 assn standard single material response body
Media For Which Designed:
Water, fresh single response
Style Designator:
Straight thru
Thread Series Designator:
Npt all ends
Shelf Life:
N/a
Unit Of Measure:
<b></b>
Demilitarization:

No

## NSN 4820-01-601-4124

Check Valve - Page 2 of 2



Fiig:

A530b0