

View Online at <https://aerobasegroup.com/nsn/4820-01-624-6210>

Thread Direction:

Right-hand 1st end

Flow Control Device:

Disk

Bonnet Type:

Inside spring

Bonnet Attachment Method:

Threaded

Disk Loading Method:

Spring

Maximum Operating Temp:

65.0 degrees celsius single response

Minimum Operating Temp:

-12.0 degrees celsius

Connection Style:

Plain (tube) 2nd end

Valve Operation Method:

Automatic

Connection Type:

Unthreaded internal tube 2nd end

Features Provided:

Manual override

Valve Size:

0.25 inches

Adjustable Pressure Range:

+10.0 to 225.0 pounds per square inch

Maximum Operating Pressure:

300.0 pounds per square inch single response

Thread Size:

0.25 inches 1st end

Outside Diameter Tube Accommodated:

0.25 inches 2nd end

Product Name:

Low-pressure proportional relief valve

Special Features:

Manual override; 1/4-in npt x 1/4-in swagelok tube fitting

Material:

Steel comp 316 body

Material Specification:

316 ss/a479 mfr ref single material response body

Media For Which Designed:

Water-oil-gas single response

Style Designator:

Angle

Thread Series Designator:

Npt 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0