

View Online at <https://aerobasegroup.com/nsn/4820-01-624-7773>

**Thread Class:**

2a

**Flow Control Device:**

Disk

**End Connection Quantity:**

1

**Valve Operation Method:**

Automatic

**Connection Type:**

Threaded external pipe

**Valve Size:**

0.875 inches

**Thready Qty Per Inch (tpi):**

14

**Maximum Operating Pressure And Media For Which Designed:**

310.0 bar fuel/oil, hydrocarbon

**Thread Size:**

0.875 inches

**Maximum Operating Temperature And Media For Which Designed:**

120.0 degrees celsius fuel/oil, hydrocarbon

**Thread Tolerance Class:**

2a external

**Product Name:**

2-way fully adjustable pressure compensated flow regulator screw-in cartridge style with free reverse flow

**Pressure Class:**

310.0 bar

**Special Features:**

Factory set pressure at 5 gpm, fully adjustable by screw and locknut; use with any general purpose hydraulic fluid such as mil-h-5606, sae 10, sae 20, etc.

**Thread Series Designator:**

Unf

**Furnished Items And Quantity:**

1 indicator

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A502c0