

View Online at <https://aerobasegroup.com/nsn/4820-01-630-2086>

Thread Direction:

Right-hand all ends

Flow Control Device:

Poppet

Bonnet Type:

Inside spring

Bonnet Attachment Method:

Integral

Disk Loading Method:

Spring

Renewable Seat Ring Type:

Pressed-in

Maximum Operating Temp:

121.0 degrees celsius single response

Minimum Operating Temp:

40.0 degrees celsius

Connection Style:

Gasket sea (boss) all ends

Valve Operation Method:

Automatic

Connection Type:

Threaded internal tube all ends

Valve Size:

0.375 inches

Adjustable Pressure Range:

+40.0 to 125.0 pounds per square inch

Maximum Operating Pressure:

3000.0 pounds per square inch single response

Thread Size:

0.375 inches all ends

Outside Diameter Tube Accommodated:

0.375 inches all ends

Special Features:

In-line valve, size y internal straight threads

Material:

Stainless steel flow control device

Media For Which Designed:

Oil, hydraulic 2nd response

Surface Treatment:

Anodize

Style Designator:

Straight thru

Thread Series Designator:

Si all ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0