NSN 4820-01-631-2839

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-631-2839

Thread Class:
2b all ends
Thread Direction:
Right-hand all ends
Flow Control Device:
Piston
Maximum Operating Temp:
250.0 degrees fahrenheit single response
Minimum Operating Temp:
40.0 degrees fahrenheit
Connection Style:
Flare (tube) all ends
Valve Operation Method:
Automatic
Connection Type:
Threaded internal tube all ends
Mounting Facility:
Threaded fastener
Mounting Position:
Horizontal
Thready Qty Per Inch (tpi):
12 all ends
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
1.625 inches all ends
Opening Pressure Setting:
5.0 pounds per square inch
Outside Diameter Tube Accommodated:
1.250 inches all ends
Product Name:
Valve, check, series c
Special Features: Basic shape is square bar, 6.5 inch long x 2.75 inch square; maximum flow of item is 284 lpm
Material:
Stainless steel flow control device
Media For Which Designed:
Oil, hydraulic single response
Style Designator: Straight thru
Straight thru Thread Series Designator:
Thread Series Designator: Un all ends
UII ali ciius

NSN 4820-01-631-2839

Check Valve - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0