## NSN 4820-01-650-6057

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-650-6057

**Thread Direction:** Right-hand all ends **Flow Control Device:** Ball **Bonnet Type:** Inside spring **Bonnet Attachment Method:** Threaded **End Application:** Mk707 mod1&2 **Connection Style:** Plain, optional en (pipe) 2nd end Valve Operation Method: Automatic **Connection Type:** Threaded internal pipe 2nd end Maximum Operating Pressure: 1500.00 pounds per square inch single response **Thread Size:** 1.00 inches 2nd end **Opening Pressure Setting:** 300.00 pounds per square inch **First Connection Face To Centerline Distance:** 3.75 inches Second Connection Face To Centerline Distance: 2.375 inches **Third Connection Face To Centerline Distance:** 2.375 inches **Product Name:** 1.00 inch liquid relief valve **Special Features:** Ball & seat: sheralloy assembly (cobalt base alloy) Material: Steel comp 316 body Style Designator: Cross **Thread Series Designator:** Npt all ends Shelf Life: N/a

Unit Of Measure:

---

## NSN 4820-01-650-6057

Safety Relief Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A046b0

