

View Online at <https://aerobasegroup.com/nsn/4920-00-618-8993>

**Hydraulic Fluid Flow Rate:**

22.5 gallons per minute

**Usage Design:**

Aircraft hydraulic system

**Installation Design:**

Portable

**Horsepower Rating:**

150.0

**Power Source:**

Gasoline engine

**Accumulator:**

Not included

**Pressure Rating:**

3000.0 pounds per square inch and 5000.0 pounds per square inch

**Engine Driven Hydraulic Pump Testing Design Feature:**

Not included

**Pressure Manifold Subcircuit:**

Not included

**Filtering System:**

Included

**Pressure/suction Hose:**

Included

**Special Features:**

Portable; two identical systems; adjustable pressure-compensator control; low pressure boost pumps; check valves; thermostats; interlock system; shutoff valves and blowout devices; powered by engine-driven dc generator with two 24.0 vdc, 36 ampere hour batteries

**Functional Description:**

Hydraulic testing

**Reference Data And Literature:**

T.O.33a2-2-24-11

**Specification Or Standard:**

Mj2a type

**Fsc Application Data:**

E-4, f-111, a7d, c-5, f-101, f-16, f-106, t-38, c-135 aircraft age

**Departure From Cited Document:**

Revision a

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T361-e