

View Online at <https://aerobasegroup.com/nsn/4920-00-857-6895>

Hydraulic Fluid Flow Rate:

70.0 gallons per minute

Current Type:

Ac

Drive Type:

Hydraulic motor

Usage Design:

Aircraft hydraulic system

Installation Design:

Fixed

Power Source:

Electric motor

Maximum Speed Rating In Rpm:

15000.0

Accumulator:

Included

Pressure Rating:

5000.0 pounds per square inch

Maximum Operating Pressure:

5000.0 pounds per square inch

Engine Driven Hydraulic Pump Testing Design Feature:

Included

Flow Capacity Rating:

85.0 gallons per minute

Pressure Manifold Subcircuit:

Not included

Filtering System:

Included

Pressure/suction Hose:

Included

Voltage In Volts:

110.0 and 220.0

Phase:

Single

Special Features:

80.000 in h, 66.000 in d, 168.000 in l; 14760.0 lbs

Frequency In Hertz:

400.0

Functional Description:

Designed to provide accurate, functional and performance testing of aircraft hydraulic fixed and variable pumps, hydraulic motors, valves, actuating cylinders, reservoirs, and accumulators

Reference Data And Literature:

T.O. 33a2-2-35-11

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T361-e