NSN 4920-01-491-6511

Interface Device Adapter Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4920-01-491-6511

| End Application: F100-pw-100/200/220/220e engines Unpackaged Unit Length: 9.750 inches Unpackaged Unit Width: 9.750 inches Unpackaged Unit Height: 1.500 inches Cubic Measure: 142.594 cubic inches Product Name: Adapter, 3rd stage turbine disk Special Features: Pwa500317 is a cylindrical adapter made of delrin 500 composite material. The adapter is designed with 30 holes for the tierod allows the eddy current inspection bench to spin the 3rd stage turbine disk without interference from the tierod bolts | |
|---|--------------|
| Unpackaged Unit Length: 9.750 inches Unpackaged Unit Width: 9.750 inches Unpackaged Unit Height: 1.500 inches Cubic Measure: 142.594 cubic inches Product Name: Adapter, 3rd stage turbine disk Special Features: Pwa500317 is a cylindrical adapter made of delrin 500 composite material. The adapter is designed with 30 holes for the tierod allows the eddy current inspection bench to spin the 3rd stage turbine disk without interference from the tierod bolts | |
| 9.750 inches Unpackaged Unit Width: 9.750 inches Unpackaged Unit Height: 1.500 inches Cubic Measure: 142.594 cubic inches Product Name: Adapter, 3rd stage turbine disk Special Features: Pwa500317 is a cylindrical adapter made of delrin 500 composite material. The adapter is designed with 30 holes for the tierod allows the eddy current inspection bench to spin the 3rd stage turbine disk without interference from the tierod bolts | |
| Unpackaged Unit Width: 9.750 inches Unpackaged Unit Height: 1.500 inches Cubic Measure: 142.594 cubic inches Product Name: Adapter, 3rd stage turbine disk Special Features: Pwa500317 is a cylindrical adapter made of delrin 500 composite material. The adapter is designed with 30 holes for the tierod allows the eddy current inspection bench to spin the 3rd stage turbine disk without interference from the tierod bolts | |
| 9.750 inches Unpackaged Unit Height: 1.500 inches Cubic Measure: 142.594 cubic inches Product Name: Adapter, 3rd stage turbine disk Special Features: Pwa500317 is a cylindrical adapter made of delrin 500 composite material. The adapter is designed with 30 holes for the tierod allows the eddy current inspection bench to spin the 3rd stage turbine disk without interference from the tierod bolts | |
| Unpackaged Unit Height: 1.500 inches Cubic Measure: 142.594 cubic inches Product Name: Adapter, 3rd stage turbine disk Special Features: Pwa500317 is a cylindrical adapter made of delrin 500 composite material. The adapter is designed with 30 holes for the tierod allows the eddy current inspection bench to spin the 3rd stage turbine disk without interference from the tierod bolts | |
| 1.500 inches Cubic Measure: 142.594 cubic inches Product Name: Adapter, 3rd stage turbine disk Special Features: Pwa500317 is a cylindrical adapter made of delrin 500 composite material. The adapter is designed with 30 holes for the tierod allows the eddy current inspection bench to spin the 3rd stage turbine disk without interference from the tierod bolts | |
| Cubic Measure: 142.594 cubic inches Product Name: Adapter, 3rd stage turbine disk Special Features: Pwa500317 is a cylindrical adapter made of delrin 500 composite material. The adapter is designed with 30 holes for the tierod allows the eddy current inspection bench to spin the 3rd stage turbine disk without interference from the tierod bolts | |
| 142.594 cubic inches Product Name: Adapter, 3rd stage turbine disk Special Features: Pwa500317 is a cylindrical adapter made of delrin 500 composite material. The adapter is designed with 30 holes for the tierod allows the eddy current inspection bench to spin the 3rd stage turbine disk without interference from the tierod bolts | |
| Product Name: Adapter, 3rd stage turbine disk Special Features: Pwa500317 is a cylindrical adapter made of delrin 500 composite material. The adapter is designed with 30 holes for the tierod allows the eddy current inspection bench to spin the 3rd stage turbine disk without interference from the tierod bolts | |
| Adapter, 3rd stage turbine disk Special Features: Pwa500317 is a cylindrical adapter made of delrin 500 composite material. The adapter is designed with 30 holes for the tierod allows the eddy current inspection bench to spin the 3rd stage turbine disk without interference from the tierod bolts | |
| Special Features: Pwa500317 is a cylindrical adapter made of delrin 500 composite material. The adapter is designed with 30 holes for the tierod allows the eddy current inspection bench to spin the 3rd stage turbine disk without interference from the tierod bolts | |
| Pwa500317 is a cylindrical adapter made of delrin 500 composite material. The adapter is designed with 30 holes for the tierod allows the eddy current inspection bench to spin the 3rd stage turbine disk without interference from the tierod bolts | |
| allows the eddy current inspection bench to spin the 3rd stage turbine disk without interference from the tierod bolts | |
| | bolts and |
| | |
| Functional Description: | |
| Pwa500317 adapter is used to mount the designated disk fwd side up on the pwa54300 semi automated eddy current inspection | n bench. The |
| adapter lifts the disk 1.5 inches in a vertical direction to allow for inspection of the web and bore geometries of the 3rd stage turn | oine disk |
| Reference Data And Literature: | |
| Serd9368 | |
| Shelf Life: | |
| N/a | |
| Unit Of Measure: | |
| | |
| Demilitarization: | |
| Yes - demil/mli | |
| Fiig: | |
| A23800 | |