## NSN 4920-01-574-8326

Hydraulic System Components Test Stand - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4920-01-574-8326

Hydraulic Fluid Flow Rate:
35.0 gallons per minute
Current Type:
Ac
End Application:
F-15 aircraft
Drive Type:
Electric motor
Usage Design:
Individual hydraulic units
Installation Design:
Fixed
Power Source:
Electric motor
Pressure Rating:
4500.0 pounds per square inch
Maximum Operating Pressure:
8000.0 pounds per square inch
Engine Driven Hydraulic Pump Testing Design Feature:
Not included
Product Name:
Hydraulics tester, f-15 servo-cylinder
Voltage In Volts:
220.0
Phase:
Three
Functional Classification:
Aa-9.2
Special Features:
Consists of cabinet, computer hardware, computer software, instrumentation, valves and plumbing, sink, sump pump and reservoir,
fixtures, hoses, connectors, extra circuit cards
Frequency In Hertz:
60.0
Functional Description:
Used to test hydraulic servocylinders, valves, and other aircraft components
Entry Date:
09-06-01
Purchase Description Identification:
98752-pd09wrgbgbec18
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 4920-01-574-8326

Hydraulic System Components Test Stand - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

Т361-е