

View Online at <https://aerobasegroup.com/nsn/4930-01-423-6542>

Drive Connection Type:

Gear

Current Type:

Dc

Nonsparking Provision:

Not included

Inclosure Type:

Explosion proof

Furnished Items And Quantity:

Includes hand crank assembly

Ambient Temp:

125.0 degrees fahrenheit

Controller:

Included

Err Default:

Err default

End Connection Type:

Female tapered pipe threaded

Pressure Capacity:

125.0 pounds per square inch

Clutch:

Not included

Installation Location:

Left hand and right hand

Mounting Facility:

Floor

Wattage Rating:

499.820 watts

Hose Length Accommodated:

60.000 feet

Hose Diameter Accommodated:

2.060 inches

Reel Rim Outside Diameter:

25.000 inches

Reel Hub Width:

10.120 inches

Fixed Reel Hose Piping Connection Type:

Swing joint

Motor Switch:

Included

Mounting Plate Width:

15.750 inches

Hub Center Line Height Above Base:

14.250 inches

Reel Actuation Method:

Electrical motor

Voltage In Volts:

12.0

Special Features:

2" inlet straight victaulic connection

Media For Which Designed:

Fuel/oil, hydrocarbon

Supplementary Features:

End item is 2330-01-377-9337, semitrailer, tank

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T293-h