

View Online at <https://aerobasegroup.com/nsn/4935-00-073-8744>

Ac Voltage Rating:

115.0 volts

Frequency Rating:

Between 60.0 hertz and 400.0 hertz

End Application:

F-4 phantom

Electrical Power Source Relationship:

Operating

Inclosure Feature:

Multiple item w/housing

Test Type For Which Designed:

Signal inputs

Special Features:

Manual testing; indicator types: scope, meters, gages, lamps; c/o modulation and control panel; dc power panel; a-c power panel; feedthrough panel; hydraulics pump (browne and sharp); oscilloscope (hp130c); heat exchange (fairchild 1024); power meter (hp130cr); ac vtvm (ballantine 3108); power meter (model hp 430cr); input power panel; blower panel; hydraulic gage panel; 400 cps monitor and control assembly; weighing scale (howe 5603); power supply; blower (roton 2591-1032)

Functional Description:

Provides facilities for final test of radar transmitter t-888/apa-157. Provides modulation, control signals, and necessary operating power to the transmitter under test. Test set also contains a cooling system to supply os-45 coolant to uut

Reference Data And Literature:

T.O. 33d5-12-163-11

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

T228-a