

View Online at <https://aerobasegroup.com/nsn/4935-01-565-7133>

Width:

36.000 inches

Ac Voltage Rating:

115.0 volts

Dc Voltage Rating:

28.0 volts

Frequency Rating:

400.0 hertz

Major Components:

Computer, transit case, storm case, oscilloscope, multimeter, test set, cable assemblies, adapters

Depth:

36.000 inches

Joint Electronics Type Designation System Item Name:

Test set, guided missile infrared tracker

Joint Electronics Type Designation System Item Type Number:

An/gsm-416a

Electrical Power Source Relationship:

Operating

Inclosure Feature:

Multiple item w/carrying case

Test Type For Which Designed:

Ir receiver tests

Functional Classification:

Dd-2.6

Special Features:

Includes: protective case with carrying handle and removable cover; cables for interconnecting the uts with an/aar-44 equipment to be tested and with external test equipment

Functional Description:

Provides line replaceable unit test capability for the for the an/aar-44a and -44b infrared warning, receiver sets; isolates malfunctions to the shop replaceable unit; provides interconnection and test stimuli to test the an/aar-44a control display unit 628100, signal processor unit 628200-002, and sensor unit 628300-002, 628300-003 and 628300-004; simulates system inputs to the Iru Iru signal responses to maintenance personnel

Height:

21.000 inches

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

T228-a