

View Online at <https://aerobasegroup.com/nsn/5120-01-063-8589>

**Overall Length:**

Between 7.020 inches and 7.140 inches

**Wrenching End Outside Diameter:**

Between 1.020 inches and 1.140 inches

**Drive End Outside Diameter:**

Between 1.020 inches and 1.140 inches

**Wrenching Surface Size:**

0.755 inches single end and 0.763 inches single end

**Wrenching End Head Thickness:**

Between 0.570 inches and 0.690 inches

**Drive End Head Thickness:**

Between 0.440 inches and 0.560 inches

**Drive Surface Size:**

0.503 inches single end and 0.511 inches single end

**Wrenching Surface Shape:**

12 point single end internal

**Wrenching End Offset Angle:**

Any acceptable

**Drive End Shape:**

Square single end internal

**Drive End Offset Angle:**

Any acceptable

**Special Markings:**

19207-11640856 use adapter in line.A reading of 56-63 ft-lbs produces 86-94 ft-lbs torque at bolt.

**Material:**

Steel

**Surface Treatment:**

Chromium or phosphate or nickel

**Surface Treatment Specification:**

Qq-c-320, class 1 federal specification 1st treatment response or mil-p-16232, type z, class 2 military specification 2nd treatment response or qq-n-290, class 1, type 4 federal specification 3rd treatment response

**Style Designator:**

Offset

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A102a0

**Mil-std (military Standard):**

Mil-p-16232 spec.