## NSN 5120-01-430-6876

Torque Screwdriver - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5120-01-430-6876

Overall Length:
7.750 inches
Furnished Items:
Hex bits size 5/64, 3/32, 7/64, 1/8 and 9/64 in.; pozidriv bits size 1 and 2; slotted bits size 0-1, 3-4, 5-6, 8-10 and 12-14; phillips bits size
0, 1, 2 and 3; torx bits size t-10, t-15, t-20, t-25, t-30 and t-40; square bits size 0, 1, 2 and 3; socket adapter size 1/4 in.; bit holder size
1/4 in.
Torque Indicating Mechanism:
Preset-adjustable
Torque Capacity:
Between 2.0 inch-pounds and 36.0 inch-pounds
Torque Scale Graduation:
2.00 inch-pounds
Torque Signal Method:
Feel impulse
Drive Surface Size:
0.250 inches single end
Drive End Shape:
Hexagon single end internal
Style Designator:
Micrometer end drive
Specification Data:
05047-asme b107.14 professional/industrial association standard
Specification Or Standard:
2 type and 2 style and a design
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A530h0